

1 Identification

- Product identifier
- Trade name: Brilliant Blue Ink
- Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified • Application of the substance / the mixture alcohol based permanent marking ink
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Viscot Medical, LLC 32 West Street East Hanove, NJ 07936 Tel.: 973-887-9273

Permanent Marker Ink


- Information department: Tel.: 973-887-9273 Fax: 973-887-3861
- Emergency telephone number: Tel.: 973-887-9273

*

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame



H336 May cause drowsiness or dizziness.

- STOT SE 3

 Label elements
- GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

Signal word Danger

- Hazard-determining components of labeling: propan-1-ol C. I. Solvent Violet 8
- C. I. Solvent Red 49
- Solvent Blue 5
- Hazard statements
- Highly flammable liquid and vapor.
- Causes serious eye damage. May cause drowsiness or dizziness.
- Precautionary statements
- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wear protective gloves / eye protection / face protection.
- Wear eye protection / face protection.
- Ground/bond container and receiving equipment.
- Use only non-sparking tools. Take precautionary measures against static discharge.

(Contd. on page 2)



(Contd. of page 1)

Trade name: Brilliant Blue Ink

- Use only outdoors or in a well-ventilated area.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a poison center/doctor.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of fire: Use for extinction: CO2, powder or water spray.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

- Store in a well-ventilated place. Keep cool.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
- NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Mixture of the following substances, containing non-hazardous substances and colouring agents.
- Description: Mixture of the substances listed below with nonhazardous additions

Dangerous components:		
64-17-5 ethanol	25-50%	
71-23-8 propan-1-ol	25-50%	
84281-86-7 C I. Solvent Violet 8	2.5-10%	
1325-86-6 Solvent Blue 5	<u>≤</u> 2.5%	
509-34-2 C. I. Solvent Red 49	≤2.5%	
Additional information: For the wording of the	listed risk phrases refer to section 16.	

4 First-aid measures

- · Description of first aid measures
 - After inhalation: Supply fresh air; consult doctor in case of complaints.
 - After skin contact: Generally the product does not irritate the skin.
 - After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- Advice for firefighters
 - Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

No further relevant information available.



(Contd. of page 2)

Trade name: Brilliant Blue Ink

- Wear protective clothing.
- Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

Handling and storage

- Handling: .
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat.
- Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
- Storage: .

.

- Requirements to be met by storerooms and receptacles:
- Information about storage in one common storage facility:
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
 - Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

 control parameters Components with limit values that require monitoring at the workplace: 64-17-5 ethanol (25-50%) PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm T/U Short-term value: 1900 mg/m³, 1000 ppm T/1 23-8 propan-1-0 (25-50%) PEL Long-term value: 500 mg/m³, 200 ppm REL Short-term value: 605 mg/m³, 200 ppm Skin T/V Long-term value: 500 mg/m³, 200 ppm Skin T/V Long-term value: 500 mg/m³, 200 ppm Skin T/V Long-term value: 500 mg/m³, 100 ppm Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: Immediately renove all solid and contaminated dothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material ans to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the eyreation of the eyreation of the suitable gloves does not only depend on the material, but also on further marks of quality and varies form manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in a dvance and has therefore to be keeked prior to the application. 	· Ad	ditional information about design of technical systems: No further data; see item 7.		
64-17-5 ethanol (25-50%) PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1880 mg/m³, 1000 ppm TV Short-term value: 520 mg/m³, 200 ppm PEL Long-term value: 500 mg/m³, 200 ppm Short-term value: 500 mg/m³, 200 ppm Short-term value: 500 mg/m³, 200 ppm Skin Long-term value: 246 mg/m³, 100 ppm * Additional information: The lists that were valid during the creation were used as basis. Exposure controls * Personal protective and hygienic measures: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Material of gloves	· Co	ntrol parameters		
PEL Long-term value: 1900 mg/m ³ , 1000 ppm REL Long-term value: 1880 mg/m ³ , 1000 ppm TLV Short-term value: 1880 mg/m ³ , 200 ppm PEL Long-term value: 500 mg/m ³ , 200 ppm REL Short-term value: 500 mg/m ³ , 200 ppm Skin Long-term value: 500 mg/m ³ , 200 ppm Skin Skin 1V Long-term value: 246 mg/m ³ , 100 ppm Skin Tuv Long-term value: 246 mg/m ³ , 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective and hygienic measures: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advanc	· Coi	Components with limit values that require monitoring at the workplace:		
REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm 71-23-5 propan-1-ol (25-50%) PEL Long-term value: 500 mg/m³, 200 ppm REL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Skin TLV Long-term value: 246 mg/m³, 100 ppm • Additional information: TV Long-term value: 246 mg/m³, 100 ppm • Additional information: • The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does no	64-	17-5 ethanol (25-50%)		
TLV Short-term value: 1880 mg/m³, 1000 ppm 71-23-# propan-1-ol (25-50%) PEL Long-term value: 500 mg/m³, 200 ppm REL Short-term value: 500 mg/m³, 200 ppm Long-term value: 250 mg/m³, 200 ppm Skin Long-term value: 246 mg/m³, 100 ppm Kate State S	PEL	Long-term value: 1900 mg/m³, 1000 ppm		
71-23-8 propan-1-ol (25-50%) PEL Long-term value: 500 mg/m³, 200 ppm Shin REL Short-term value: 500 mg/m³, 200 ppm Skin TLV Long-term value: 206 mg/m³, 100 ppm Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the applicatio	REL	Long-term value: 1900 mg/m³, 1000 ppm		
PEL Long-term value: 500 mg/m³, 200 ppm REL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Skin TLV Long-term value: 246 mg/m³, 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Exposure controls • Personal protective equipment: • General protective and hygienic measures: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation of the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks	TL۱	/ Short-term value: 1880 mg/m ³ , 1000 ppm		
REL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Skin TVU Cong-term value: 246 mg/m³, 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: • General protective equipment: General protective equipment: • Material of protective equipment: Material on during the event. • Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation • Material of gloves Material of gloves Material can not be calculated in advance and has therefore to be checked prior to the application.	71-	23-8 propan-1-ol (25-50%)		
Long-term value: 500 mg/m ³ , 200 ppm Skin TUV Long-term value: 246 mg/m ³ , 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Immediately remove all solide and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	PEL	Long-term value: 500 mg/m³, 200 ppm		
Skin TLV Long-term value: 246 mg/m³, 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • • Personal protective equipment: • • General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	REL			
TLV Long-term value: 246 mg/m³, 100 ppm • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves • Balevial of gloves • Besterial of gloves • Besterial of the substel gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.				
 Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 	τι γ			
 Exposure controls Personal protective equipment: General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 Personal protective equipment: General protective and hygienic measures: Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 4)				
 Avoid contact with the eyes. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 4) 				
 preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.				
 preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. 				
the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 4)				
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	the			
of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 4)				
substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. (Contd. on page 4)				
to be checked prior to the application. (Contd. on page 4)				
USA				

Store in a cool location.

Not required.



- Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information Appearance: Form: Color: Odor: Odour threshold: Important information on protection of health and environment, and on safety. 	Fluid According to product specification Product specific Not determined. -
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 78 °C (172 °F)
 Flash point: 	13 °C (55 °F)
 Flammability (solid, gaseous): 	Not applicable.
Ignition temperature:	360 °C (680 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
 Explosion limits: Lower: Upper: 	2.1 Vol % 15.0 Vol %
 Vapor pressure at 20 °C (68 °F): 	59 hPa (44 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate 	0.846 g/cm ³ (7.06 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	3.1 mPas Not determined.
 Solvent content: Organic solvents: 	77.1 %
Solids content: • Other information	17.7 % No further relevant information available.

10 Stability and reactivity

· Reactivity

· Chemical stability

Thermal decomposition / conditions to be avoided:

- No decomposition if used according to specifications.
- Possibility of hazardous reactions
 No dangerous reactions known.
- Conditions to avoid
 No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:
 No dangerous decomposition products known.

(Contd. of page 3)



(Contd. of page 4)

11 Toxicological information

	Toxicological information		
	Information on toxicological effects Acute toxicity:		
•	LD/LC50 values that are relevant for classification:		
	71-23-8 propan-1-ol		
	Oral LD50 \$000 mg/kg (rat)		
	Dermal LD50 4000 mg/kg (rab)		
	Inhalative LC <mark>\$</mark> 0/4 h 9.8 m <mark>g</mark> /l (rat)		
	Primary irritant effect: on the skin: No irritant effect. on the eye: Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Irritant		
•	Carcinogenic categories		
•	IARC (International Agency for Research on Cancer)		
	None of the ingredients is listed.		
•	NTP (National Toxicology Program)		
	None of the ingredients is listed.		
•	OSHA-Ca (Occupational Safety & Health Administration)		
	None of the ingredients is listed.		

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- PBT: Not applicable. .
- vPvB: Not applicable.
- Other adverse effects .
- No further relevant information available.

13 Disposal considerations

- Waste treatment methods •
- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations. •
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN1263	
 UN proper shipping name 		
DOT	Paint	
ADR	1263 Paint	
· IMDG, IATA	PAINT	



		of pag
Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3	
ADR		
\wedge		
Class		
Class Label	3 (F1) Flammable liquids 3	
IMDG, IATA		
3		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, ADR, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	33	
EMS Number:	F-E,S-E	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	
ADR Excepted quantities (EQ)	Code: E2	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
UN "Model Regulation":	UN1263, Paint, 3, Il	

15 Regulatory information

÷

 Safety, health and environmental regulations/legislation specific for the substance or mixture Sara 	
Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 7)
	USA



	(Contd. of pa
Chemicals known to cause reproductive toxicity for males:	(conta: or pa
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
DSL/NDSL (Canada) All ingredients are listed	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	
71-23-8 propan-1-ol	
MAK (German Maximum Workplace Concentration)	
64-17-5 ethanol	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements	
The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms	
GHS02 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling:	
propan-1-ol C. I. Solvent Violet 8 C. I. Solvent Red 49 Solvent Blue 5 Hazard statements Highly flammable liquid and vapor. Causes serious eye damage. May cause drowsiness or dizziness. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves / eye protection / face protection. Wear eye protection / face protection. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations:	
Technical instructions (air):ClassShare in %NK50-100	
Water hazard class:Water hazard class 2 (Self-assessment): hazardous for water.Chemical safety assessment:A Chemical Safety Assessment has not been carried out.	

Date of preparation / last revision 04/16/2015 / Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8) USA



IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	(Contd. of page 7)
ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord européen sur le transport des marchandises diagereuses par Route (European Agreement concerning the International C	arriage
of Dangerous Goods by Road)	anage
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Flam. Liq. 2: Flammable liquids, Hazard Category 2	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
 * Data compared to the previous version altered. 	
	IISA
	034